


ACADIA PINES LOT 6

Acadia Pines Lot 6
Southwest Harbor
\$199,000



*Distinctive properties.
Legendary service.*



Private 3.49 +/- acre wooded lot. Build your dream.

- Beautiful 3.49 +/- acre wooded lot
- Privately located yet minutes to downtown Southwest Harbor
- Public Ocean access at Lower Town Dock on Shore Rd.
- Hear the wind in the trees on this incredibly quiet location
- Your spot to build your dream home on Mount Desert Island

For more information, please contact: THE KNOWLES COMPANY

One Summit Road
Northeast Harbor, Maine 04662
207.276.3322

The Knowles Company represents both sellers and buyers, and practices an Appointed Agency Policy. We have a fiduciary responsibility to disclose to our client all information material to the sale of this property acquired from any source.

info@KnowlesCo.com
www.KnowlesCo.com

Public Detail Report

MLS #: 1549870

County: Hancock

Seasonal: No

List Price: \$199,000

Status: Active

Property Type: Land

Original List Price: \$214,000

Directions: Take 102 south out of Southwest Harbor. Turn on 102A towards Manset. Travel 0.9 miles and the road will be on the right (before the meeting house parking lot).



**000 Seawall Map/
Lot 17/11-06
Southwest Harbor,
ME 04679**

**List Price:
\$199,000
MLS#: 1549870**



Land Information

Surveyed: Yes Waterfront: No
Lot Size Acres +/-: 3.49 Water Views: No
Source of Acreage: Survey
Mobile Homes Allowed: No

Zoning: B
Zoning Overlay: No

Property Features

Driveway: No Driveway Electric: No Electric
Parking: No Parking Gas: No Gas
Location: Near Public Beach; Near Town; Rural; Subdivision Water: Private; Well Needed on Site
Sewer: Septic Needed; Soil Test Available

Roads: Dead End; Private Road
Site: Level; Wooded

Tax/Deed Information

Book/Page/Deed: 7130/513/Partial Full Tax Amt/Yr: \$521/ 2022
Deed/Conveyance Type: Quit Claim w/
Offered: Covenant
Deed Restrictions: Yes

Map/Block/Lot: 17//11-06
Tax ID: 000SeawallRdSouthwestHarbor04679

Remarks

Remarks: Six quality homesites in the lovely Southwest Harbor village of Manset. The Preserve at Acadia Pines sites are surveyed, soils tested and town approved. Lots range from 1.79 to 3.52 acres and all lots offer mature Maine woods and delightful solitude. Privately located, approximately ½ mile off Seawall Road providing a quiet location yet only minutes from Shore Road and downtown Southwest Harbor. Endless recreation, dining and shopping options all close by. Especially close is the public boat ramp at Manset's Lower Town dock providing ocean access to the harbor. Nearby Long Pond and Echo Lake provide freshwater swimming and fishing. Hike the less traveled trails of the Western Mountains of Acadia National Park. The Preserve at Acadia Pines has completed road in place with utilities (electric) as well as high speed internet service scheduled for installation. Make your Acadia dream home a reality at the Preserve at Acadia Pines. These are the available MLS listed properties in Seawall: Acadia Pines Lot 1 MLS 1549865, Acadia Pines Lot 2 MLS 1549867, Acadia Pines Lot 4 MLS 1549868, Acadia Pines Lot 5 MLS 1549869, Acadia Pines Lot 6 MLS 1549870.

LO: The Knowles Company

Listing provided courtesy of:

The Knowles Company
One Summit Road
Northeast Harbor, ME 04662
207-276-3322

info@knowlesco.com

The information on MLS listings has been assembled from various sources of varying degrees of reliability. Any information that is critical to your buying decision should be independently verified. All dimensions are approximate and not guaranteed. Copyright Maine Listings © 2025 and FBS. Broker Attribution: 207 276-3322

MAINE
Listings



PROPERTY LOCATED AT: AcadiaPinesWay Map/Lot 17/11-01-06, Southwest Harbor, ME 04679

PROPERTY DISCLOSURE – LAND ONLY

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I – HAZARDOUS MATERIAL

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on your property? ☐ Yes ☐ No ☒ Unknown

~~If Yes: Are tanks in current use?..... ☐ Yes ☐ No ☐ Unknown~~

~~If no longer in use, how long have they been out of service? _____~~

~~If tanks are no longer in use, have tanks been abandoned according to DEP?..... ☐ Yes ☐ No ☐ Unknown~~

~~Are tanks registered with DEP?..... ☐ Yes ☐ No ☐ Unknown~~

~~Age of tank(s): _____ Size of tank(s): _____~~

~~Location: _____~~

~~What materials are, or were, stored in the tank(s). _____~~

~~Have you experienced any problems such as leakage. ☐ Yes ☐ No ☐ Unknown~~

Comments: No Known Underground Storage Tanks.

Source of information: Seller, Public record

B. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL:..... ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL:..... ☐ Yes ☐ No ☒ Unknown

METHAMPHETAMINE:..... ☐ Yes ☒ No ☐ Unknown

Comments: No Known Hazardous Materials

Source of information: Seller, Broker observation, Public record

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

Buyer Initials _____

Page 1 of 4

Seller Initials TUNFTLE

PROPERTY LOCATED AT: AcadiaPinesWay Map/Lot 17/11-01-06, Southwest Harbor, ME 04679

SECTION II — ACCESS TO THE PROPERTY

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Road Right of Way, Covenants, Easement

Source of information: Seller, Deed, Covenants, Broker

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☐ Yes ☒ No ☐ Unknown

If No, who is responsible for maintenance? Association to be formed. Seller responsible for unsold lots.

Road Association Name (if known): TBD

Source of information: Seller

SECTION III — FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Have any flood events affected a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has any flood-related damage to a structure occurred on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Has there been any flood insurance claims filed for a structure on the property? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: _____

Buyer Initials _____

Page 2 of 4

Seller Initials

^{DS}
TWETEL

PROPERTY LOCATED AT: AcadiaPinesWay Map/Lot 17/11-01-06, Southwest Harbor, ME 04679

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: _____

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ☐ Yes ☒ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

Relevant Panel Number: 23009C1214D Year: 7/20/2016 (Attach a copy)

Comments: Property is not located in a Flood Zone

Source of Section III information: FEMA Map

SECTION IV — GENERAL INFORMATION

Are there any shoreland zoning, resource protection or other overlay zone requirements on the property?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Source of information: Seller, Deed

Is the property the result of a division within the last 5 years (i.e. subdivision)? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Preserve at Acadia Pines Subdivision.

Source of information: Seller, Broker, Public record

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Blind, Working Waterfront?..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

~~Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown~~

Has all or a portion of the property been surveyed?..... ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available?..... ☒ Yes ☐ No ☐ Unknown

Has the property ever been soil tested?..... ☒ Yes ☐ No ☐ Unknown

If Yes, are the results available?..... ☒ Yes ☐ No ☐ Unknown

Are mobile/manufactured homes allowed?..... ☐ Yes ☒ No ☐ Unknown

Are modular homes allowed?..... ☒ Yes ☐ No ☐ Unknown

Source of Section IV information: Selle, Broker, Public record, Broker Observation

Additional Information: _____

Buyer Initials _____

Page 3 of 4

Seller Initials

DS
TWFTL

PROPERTY LOCATED AT: AcadiaPinesWay Map/Lot 17/11-01-06, Southwest Harbor, ME 04679

ATTACHMENTS CONTAINING ADDITIONAL INFORMATION:..... ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information about property defects to Buyer. As Seller, I/we have provided the above information and represent that all information is correct.

DocuSigned by:

12/3/2024
SELLER
TLW Land Equities LLC

DATE

SELLER

DATE

SELLER

DATE

SELLER

DATE

I/We have read and received a copy of this disclosure and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER

DATE

BUYER

DATE

BUYER

DATE

BUYER

DATE

National Flood Hazard Layer FIRMette



Lege

68°19'11"W 44°15'56"N

SEE FIS REPI

SPECIAL
HAZARD

OTHER ARI
FLOOD H.

OTHER
GE
STRUC

FEA

MAP F

This n
digita
The b.
accur

The fi
autho
was e
reflec
time.
becor

This n
elem
legen
FIRM
unma
regul



0 250 500 1,000 1,500 2,000 Feet 1:6,000

Basemap Imagery Source: USGS National Map 2023

Robert Vile
Licensed Site Evaluator
Certified Soil Scientist

PO Box 114, Cates Road
Dixmont, Maine 04932

Telephone
(207)234-2451

PRELIMINARY SOIL INVESTIGATION REPORT

Date: August 12, 2022

Applicant : Greg Westra
19610 Gunpowder Rd.
Manchester, MD. 21102

Land Description: Lot # 6 Acadia Northwoods

Size of Lot: +-2 Acs.

Owner: Greg Westra

Road: Seawall Rd.

Town: Southwest Harbor

Purpose: To identify soils on the property as defined by the State of Maine Subsurface Wastewater Disposal Rules.

Date of investigation: 8-11-22

Method of investigation:

Hand Auger ()

Test Pit (X)

Method of ground control: Test pit to be located by Land Surveyor.

Findings:


- 1) (X) Suitable Soils () No Suitable Soils
- 2) Soils Identified : 2AII with a 12" limiting factor.
- 3) Location of Soil Test : See attached subdivision map.

Recommended disposal area for a three bedroom home: 21 GSF B43 module Eljen In-Drain cluster.

All permits and or notifications required prior to construction are the responsibility of the owner. If I can assist in the septic system design or you have any other questions regarding the investigation please feel free to contact me at the above number.


Robert G. Vile Jr.

Lic. #S204


Date

Covenants

1. The lots shall be used for residential purposes only and approved light commercial as allowed per zoning ordinance. No industrial uses are permitted.
2. Each lot may contain no more than one single-family dwelling, which may include one auxiliary dwelling, with usual appurtenant structures, such as garage, patio, boat house, private stable, shelter for domestic pets, and shed
3. Rental of dwellings is allowed as long as the rental is for residential purposes and is for a period of no less than three (3) days.
4. No house trailer, mobile home, tent or other temporary structure shall be erected, placed, maintained or permitted to remain upon any lot except (a) during construction for no more than one year; and (b) at all times provided that the house trailer, mobile home, tent or other temporary structure shall not be parked or lived in for more than fifteen (15) days.
5. All waste, garbage or rubbish shall be promptly removed from the premises by the purchaser or properly disposed of in accordance with all local ordinances and state laws concerning the same.
6. Buyer hereby covenants and agrees to observe and comply with all rules and regulations of any governmental agency having jurisdiction, with respect to fires and fire prevention, conservation and protection of wildlife, and natural resources.
7. No husbandry or keeping of animals shall be conducted upon the lots with the following exceptions: (a) ordinary domestic pets; (b) saddle horses together with appropriate shelter; and (c) chickens provided that no roosters are allowed, and all chickens must be confined to the bounds of the lot. Expressly prohibited are sheep, goats, swine, cattle, and other "farm animals".
8. Any unregistered vehicle that is intended for over the road use must be stored within a garage or other suitable structure.
9. No trucks over one ton shall be parked overnight on the premises.
10. No structure shall be located on any lot within 25 feet of any lot line. For the purposes of this section, "structure" shall no include a septic system or a well.
11. No dwelling hereafter erected upon the conveyed premises shall be occupied in any manner while in the course of construction, nor at any time prior to it being fully completed. All construction shall be completed within one year from the start thereof, provided, that the Grantor may extend such time when in its opinion conditions warrant such extension.
12. The maintenance and care of the subdivision road (Acadia Pines Lane) shall be the responsibility of the Buyer in common with others having the use thereof.
13. No driveway shall be located on any lot within 10 feet of the sidelines.

ZONE B (See applicable General Regulations and Standards)

A. LAND USE STANDARDS

All uses are permitted.

B. MINIMUM LOT STANDARDS AREA

Note: Minimum lot area requirements based on availability of utilities to the site

1. Minimum lot size:

- a. 40,000 sq. ft. (If Structures are serviced by Private Well and Private Septic System)
- b. 30,000 sq. ft. (If Structures are service by non-seasonal Public Water and Private Septic System)
- c. 20,000 sq. ft. (If Structures are serviced by Private Water and Public Sewerage)
- d. 15,000 sq. ft (If Structures are serviced by non-seasonal Public Water and Public Sewerage)

Exception: Minimum lot area within 250' of the high water line will be 40,000 square feet.

C. STRUCTURE STANDARDS

1. Minimum set-backs for all structures except antennae, boundary walls, driveways, parking lots, roads, sidewalks and signs:

- a) Lot lines – 15'
- b) State road – 55' from the centerline
- c) Town road – 20' from the edge of the right-of-way but not less than 35' from the centerline
- d) Private road – same as Town road if service to three or more lots

EXCEPTION: A 6' minimum setback from the edge of a vehicular way on a driveway.

2. Other Minimum set-backs for all structures:

- a) Upland edge of a wetland – 75'
- b) Intermittent stream (NHL) – 25'
- c) Perennial stream (NHL) – 75' (if sustained slopes exceed 20%, a 100' setback of undisturbed vegetation shall be maintained).
- d) Tributary Stream (NHL) – 75'

3. Height:


- a) 30' maximum within 250' of the normal high-water line
- b) 40' maximum within the rest of the zone

4. Individual Lot coverage: Includes structures only

- a. 10% if structures are serviced by private well and private septic system
- b. 12% if structures are serviced by non-seasonal public water and private septic system
- c. 15% if structures are serviced by private water and public sewerage
- d. 3,000 sq ft or 20%, whichever is greater, if structures are serviced by non-seasonal public water and public sewerage

EXCEPTION:

- a. 20% within 250' of the normal high-water line of a water body (includes structures and non-vegetated surfaces)
 - b. 40% lot coverage by structures for commercial uses
 - 1. May include multi-family structures in excess of three dwelling units.
 - 2. Seasonal cottages with occupancy less than six months.
 - 3. Property to be in common ownership
 - 4. No condos or condo associations allowed
 - 5. All performance standards must apply
5. Minimum Shore Frontage
- A) Residential Use - 150'
 - B) Non-Residential Use - 200'



The Preserve at Acadia Pines

Lot #1 (3.52 acres) - \$214k


Lot #2 (2.35 acres) - \$205k

Lot #3 (1.79 acres) - \$179k

Lot #4 (2.31 acres) - \$205k

Lot #5 (2.33 acres) - \$205k

Lot #6 (3.49 acres) - \$214k



THE PRESERVE AT ACADIA PINES
Seawall Road (Route 102A)
Manset
Hancock County
Southwest Harbor, Maine
November 11, 2020
Scale: 1" = 100'

Final Plan of Subdivision


CHAIR PERSON

STATE OF MAINE
HANCOCK IN REGISTRY OF DEEDS
RECEIVED
AT _____ M. AND RECORDED
FILE _____ No. _____
ATTEST _____

DATE _____


REGISTER

Richard J. Bowden, Professional Land Surveyor
State of Maine P.L.S. # 7221
Blue Hill, Maine 04814
Phone (207) 774-3716
e-mail: richard@rjbowden.com



Owner's Mailing Address
C/O The Preserve at Acadia Pines
Seawall Road
Manset, ME 04854

RIGHT OF WAY EASEMENT
Book 882, Page 277
20' RIGHT OF WAY
CITE D = 82-277
CITE A = 118-01
CITE B = 118-02
CITE C = 118-03
CITE D = 118-04
CITE E = 118-05
CITE F = 118-06
CITE G = 118-07
CITE H = 118-08
CITE I = 118-09
CITE J = 118-10
CITE K = 118-11
CITE L = 118-12
CITE M = 118-13
CITE N = 118-14
CITE O = 118-15
CITE P = 118-16
CITE Q = 118-17
CITE R = 118-18
CITE S = 118-19
CITE T = 118-20
CITE U = 118-21
CITE V = 118-22
CITE W = 118-23
CITE X = 118-24
CITE Y = 118-25
CITE Z = 118-26
CITE AA = 118-27
CITE AB = 118-28
CITE AC = 118-29
CITE AD = 118-30
CITE AE = 118-31
CITE AF = 118-32
CITE AG = 118-33
CITE AH = 118-34
CITE AI = 118-35
CITE AJ = 118-36
CITE AK = 118-37
CITE AL = 118-38
CITE AM = 118-39
CITE AN = 118-40
CITE AO = 118-41
CITE AP = 118-42
CITE AQ = 118-43
CITE AR = 118-44
CITE AS = 118-45
CITE AT = 118-46
CITE AU = 118-47
CITE AV = 118-48
CITE AW = 118-49
CITE AX = 118-50
CITE AY = 118-51
CITE AZ = 118-52
CITE BA = 118-53
CITE BB = 118-54
CITE BC = 118-55
CITE BD = 118-56
CITE BE = 118-57
CITE BF = 118-58
CITE BG = 118-59
CITE BH = 118-60
CITE BI = 118-61
CITE BJ = 118-62
CITE BK = 118-63
CITE BL = 118-64
CITE BM = 118-65
CITE BN = 118-66
CITE BO = 118-67
CITE BP = 118-68
CITE BQ = 118-69
CITE BR = 118-70
CITE BS = 118-71
CITE BT = 118-72
CITE BU = 118-73
CITE BV = 118-74
CITE BW = 118-75
CITE BX = 118-76
CITE BY = 118-77
CITE BZ = 118-78
CITE CA = 118-79
CITE CB = 118-80
CITE CC = 118-81
CITE CD = 118-82
CITE CE = 118-83
CITE CF = 118-84
CITE CG = 118-85
CITE CH = 118-86
CITE CI = 118-87
CITE CJ = 118-88
CITE CK = 118-89
CITE CL = 118-90
CITE CM = 118-91
CITE CN = 118-92
CITE CO = 118-93
CITE CP = 118-94
CITE CQ = 118-95
CITE CR = 118-96
CITE CS = 118-97
CITE CT = 118-98
CITE CU = 118-99
CITE CV = 119-00
CITE CW = 119-01
CITE CX = 119-02
CITE CY = 119-03
CITE CZ = 119-04
CITE DA = 119-05
CITE DB = 119-06
CITE DC = 119-07
CITE DD = 119-08
CITE DE = 119-09
CITE DF = 119-10
CITE DG = 119-11
CITE DH = 119-12
CITE DI = 119-13
CITE DJ = 119-14
CITE DK = 119-15
CITE DL = 119-16
CITE DM = 119-17
CITE DN = 119-18
CITE DO = 119-19
CITE DP = 119-20
CITE DQ = 119-21
CITE DR = 119-22
CITE DS = 119-23
CITE DT = 119-24
CITE DU = 119-25
CITE DV = 119-26
CITE DW = 119-27
CITE DX = 119-28
CITE DY = 119-29
CITE DZ = 119-30
CITE EA = 119-31
CITE EB = 119-32
CITE EC = 119-33
CITE ED = 119-34
CITE EE = 119-35
CITE EF = 119-36
CITE EG = 119-37
CITE EH = 119-38
CITE EI = 119-39
CITE EJ = 119-40
CITE EK = 119-41
CITE EL = 119-42
CITE EM = 119-43
CITE EN = 119-44
CITE EO = 119-45
CITE EP = 119-46
CITE EQ = 119-47
CITE ER = 119-48
CITE ES = 119-49
CITE ET = 119-50
CITE EU = 119-51
CITE EV = 119-52
CITE EW = 119-53
CITE EX = 119-54
CITE EY = 119-55
CITE EZ = 119-56
CITE FA = 119-57
CITE FB = 119-58
CITE FC = 119-59
CITE FD = 119-60
CITE FE = 119-61
CITE FF = 119-62
CITE FG = 119-63
CITE FH = 119-64
CITE FI = 119-65
CITE FJ = 119-66
CITE FK = 119-67
CITE FL = 119-68
CITE FM = 119-69
CITE FN = 119-70
CITE FO = 119-71
CITE FP = 119-72
CITE FQ = 119-73
CITE FR = 119-74
CITE FS = 119-75
CITE FT = 119-76
CITE FU = 119-77
CITE FV = 119-78
CITE FW = 119-79
CITE FX = 119-80
CITE FY = 119-81
CITE FZ = 119-82
CITE GA = 119-83
CITE GB = 119-84
CITE GC = 119-85
CITE GD = 119-86
CITE GE = 119-87
CITE GF = 119-88
CITE GH = 119-89
CITE GI = 119-90
CITE GJ = 119-91
CITE GK = 119-92
CITE GL = 119-93
CITE GM = 119-94
CITE GN = 119-95
CITE GO = 119-96
CITE GP = 119-97
CITE GQ = 119-98
CITE GR = 119-99
CITE GS = 120-00
CITE GT = 120-01
CITE GU = 120-02
CITE GV = 120-03
CITE GW = 120-04
CITE GX = 120-05
CITE GY = 120-06
CITE GZ = 120-07
CITE HA = 120-08
CITE HB = 120-09
CITE HC = 120-10
CITE HD = 120-11
CITE HE = 120-12
CITE HF = 120-13
CITE HG = 120-14
CITE HH = 120-15
CITE HI = 120-16
CITE HJ = 120-17
CITE HK = 120-18
CITE HL = 120-19
CITE HM = 120-20
CITE HN = 120-21
CITE HO = 120-22
CITE HP = 120-23
CITE HQ = 120-24
CITE HR = 120-25
CITE HS = 120-26
CITE HT = 120-27
CITE HU = 120-28
CITE HV = 120-29
CITE HW = 120-30
CITE HX = 120-31
CITE HY = 120-32
CITE HZ = 120-33
CITE IA = 120-34
CITE IB = 120-35
CITE IC = 120-36
CITE ID = 120-37
CITE IE = 120-38
CITE IF = 120-39
CITE IG = 120-40
CITE IH = 120-41
CITE II = 120-42
CITE IJ = 120-43
CITE IK = 120-44
CITE IL = 120-45
CITE IM = 120-46
CITE IN = 120-47
CITE IO = 120-48
CITE IP = 120-49
CITE IQ = 120-50
CITE IR = 120-51
CITE IS = 120-52
CITE IT = 120-53
CITE IU = 120-54
CITE IV = 120-55
CITE IW = 120-56
CITE IX = 120-57
CITE IY = 120-58
CITE IZ = 120-59
CITE JA = 120-60
CITE JB = 120-61
CITE JC = 120-62
CITE JD = 120-63
CITE JE = 120-64
CITE JF = 120-65
CITE JG = 120-66
CITE JH = 120-67
CITE JI = 120-68
CITE JJ = 120-69
CITE JK = 120-70
CITE JL = 120-71
CITE JM = 120-72
CITE JN = 120-73
CITE JO = 120-74
CITE JP = 120-75
CITE JQ = 120-76
CITE JR = 120-77
CITE JS = 120-78
CITE JT = 120-79
CITE JU = 120-80
CITE JV = 120-81
CITE JW = 120-82
CITE JX = 120-83
CITE JY = 120-84
CITE JZ = 120-85
CITE KA = 120-86
CITE KB = 120-87
CITE KC = 120-88
CITE KD = 120-89
CITE KE = 120-90
CITE KF = 120-91
CITE KG = 120-92
CITE KH = 120-93
CITE KI = 120-94
CITE KJ = 120-95
CITE KK = 120-96
CITE KL = 120-97
CITE KM = 120-98
CITE KN = 120-99
CITE KO = 121-00
CITE KP = 121-01
CITE KQ = 121-02
CITE KR = 121-03
CITE KS = 121-04
CITE KT = 121-05
CITE KU = 121-06
CITE KV = 121-07
CITE KW = 121-08
CITE KX = 121-09
CITE KY = 121-10
CITE KZ = 121-11
CITE LA = 121-12
CITE LB = 121-13
CITE LC = 121-14
CITE LD = 121-15
CITE LE = 121-16
CITE LF = 121-17
CITE LG = 121-18
CITE LH = 121-19
CITE LI = 121-20
CITE LJ = 121-21
CITE LK = 121-22
CITE LL = 121-23
CITE LM = 121-24
CITE LN = 121-25
CITE LO = 121-26
CITE LP = 121-27
CITE LQ = 121-28
CITE LR = 121-29
CITE LS = 121-30
CITE LT = 121-31
CITE LU = 121-32
CITE LV = 121-33
CITE LW = 121-34
CITE LX = 121-35
CITE LY = 121-36
CITE LZ = 121-37
CITE MA = 121-38
CITE MB = 121-39
CITE MC = 121-40
CITE MD = 121-41
CITE ME = 121-42
CITE MF = 121-43
CITE MG = 121-44
CITE MH = 121-45
CITE MI = 121-46
CITE MJ = 121-47
CITE MK = 121-48
CITE ML = 121-49
CITE MN = 121-50
CITE MO = 121-51
CITE MP = 121-52
CITE MQ = 121-53
CITE MR = 121-54
CITE MS = 121-55
CITE MT = 121-56
CITE MU = 121-57
CITE MV = 121-58
CITE MW = 121-59
CITE MX = 121-60
CITE MY = 121-61
CITE MZ = 121-62
CITE NA = 121-63
CITE NB = 121-64
CITE NC = 121-65
CITE ND = 121-66
CITE NE = 121-67
CITE NF = 121-68
CITE NG = 121-69
CITE NH = 121-70
CITE NI = 121-71
CITE NJ = 121-72
CITE NK = 121-73
CITE NL = 121-74
CITE NM = 121-75
CITE NN = 121-76
CITE NO = 121-77
CITE NP = 121-78
CITE NQ = 121-79
CITE NR = 121-80
CITE NS = 121-81
CITE NT = 121-82
CITE NU = 121-83
CITE NV = 121-84
CITE NW = 121-85
CITE NX = 121-86
CITE NY = 121-87
CITE NZ = 121-88
CITE OA = 121-89
CITE OB = 121-90
CITE OC = 121-91
CITE OD = 121-92
CITE OE = 121-93
CITE OF = 121-94
CITE OG = 121-95
CITE OH = 121-96
CITE OI = 121-97
CITE OJ = 121-98
CITE OK = 121-99
CITE OL = 122-00
CITE OM = 122-01
CITE ON = 122-02
CITE OO = 122-03
CITE OP = 122-04
CITE OQ = 122-05
CITE OR = 122-06
CITE OS = 122-07
CITE OT = 122-08
CITE OU = 122-09
CITE OV = 122-10
CITE OW = 122-11
CITE OX = 122-12
CITE OY = 122-13
CITE OZ = 122-14
CITE PA = 122-15
CITE PB = 122-16
CITE PC = 122-17
CITE PD = 122-18
CITE PE = 122-19
CITE PF = 122-20
CITE PG = 122-21
CITE PH = 122-22
CITE PI = 122-23
CITE PJ = 122-24
CITE PK = 122-25
CITE PL = 122-26
CITE PM = 122-27
CITE PN = 122-28
CITE PO = 122-29
CITE PP = 122-30
CITE PQ = 122-31
CITE PR = 122-32
CITE PS = 122-33
CITE PT = 122-34
CITE PU = 122-35
CITE PV = 122-36
CITE PW = 122-37
CITE PX = 122-38
CITE PY = 122-39
CITE PZ = 122-40
CITE QA = 122-41
CITE QB = 122-42
CITE QC = 122-43
CITE QD = 122-44
CITE QE = 122-45
CITE QF = 122-46
CITE QG = 122-47
CITE QH = 122-48
CITE QI = 122-49
CITE QJ = 122-50
CITE QK = 122-51
CITE QL = 122-52
CITE QM = 122-53
CITE QN = 122-54
CITE QO = 122-55
CITE QP = 122-56
CITE QQ = 122-57
CITE QR = 122-58
CITE QS = 122-59
CITE QT = 122-60
CITE QU = 122-61
CITE QV = 122-62
CITE QW = 122-63
CITE QX = 122-64
CITE QY = 122-65
CITE QZ = 122-66
CITE RA = 122-67
CITE RB = 122-68
CITE RC = 122-69
CITE RD = 122-70
CITE RE = 122-71
CITE RF = 122-72
CITE RG = 122-73
CITE RH = 122-74
CITE RI = 122-75
CITE RJ = 122-76
CITE RK = 122-77
CITE RL = 122-78
CITE RM = 122-79
CITE RN = 122-80
CITE RO = 122-81
CITE RP = 122-82
CITE RQ = 122-83
CITE RR = 122-84
CITE RS = 122-85
CITE RT = 122-86
CITE RU = 122-87
CITE RV = 122-88
CITE RW = 122-89
CITE RX = 122-90
CITE RY = 122-91
CITE RZ = 122-92
CITE SA = 122-93
CITE SB = 122-94
CITE SC = 122-95
CITE SD = 122-96
CITE SE = 122-97
CITE SF = 122-98
CITE SG = 122-99
CITE SH = 123-00
CITE SI = 123-01
CITE SJ = 123-02
CITE SK = 123-03
CITE SL = 123-04
CITE SM = 123-05
CITE SN = 123-06
CITE SO = 123-07
CITE SP = 123-08
CITE SQ = 123-09
CITE SR = 123-10
CITE SS = 123-11
CITE ST = 123-12
CITE SU = 123-13
CITE SV = 123-14
CITE SW = 123-15
CITE SX = 123-16
CITE SY = 123-17
CITE SZ = 123-18
CITE TA = 123-19
CITE TB = 123-20
CITE TC = 123-21
CITE TD = 123-22
CITE TE = 123-23
CITE TF = 123-24
CITE TG = 123-25
CITE TH = 123-26
CITE TI = 123-27
CITE TJ = 123-28
CITE TK = 123-29
CITE TL = 123-30
CITE TM = 123-31
CITE TN = 123-32
CITE TO = 123-33
CITE TP = 123-34
CITE TQ = 123-35
CITE TR = 123-36
CITE TS = 123-37
CITE TT = 123-38
CITE TU = 123-39
CITE TV = 123-40
CITE TW = 123-41
CITE TX = 123-42
CITE TY = 123-43
CITE TZ = 123-44
CITE UA = 123-45
CITE UB = 123-46
CITE UC = 123-47
CITE UD = 123-48
CITE UE = 123-49
CITE UF = 123-50
CITE UG = 123-51
CITE UH = 123-52
CITE UI = 123-53
CITE UJ = 123-54
CITE UK = 123-55
CITE UL = 123-56
CITE UM = 123-57
CITE UN = 123-58
CITE UO = 123-59
CITE UP = 123-60
CITE UQ = 123-61
CITE UR = 123-62
CITE US = 123-63
CITE UT = 123-64
CITE UV = 123-65
CITE UW = 123-66
CITE UX = 123-67
CITE UY = 123-68
CITE UZ = 123-69
CITE VA = 123-70
CITE VB = 123-71
CITE VC = 123-72
CITE VD = 123-73
CITE VE = 123-74
CITE VF = 123-75
CITE VG = 123-76
CITE VH = 123-77
CITE VI = 123-78
CITE VJ = 123-79
CITE VK = 123-80
CITE VL = 123-81
CITE VM = 123-82
CITE VN = 123-83
CITE VO = 123-84
CITE VP = 123-85
CITE VQ = 123-86
CITE VR = 123-87
CITE VS = 123-88
CITE VT = 123-89
CITE VU = 123-90
CITE VV = 123-91
CITE VW = 123-92
CITE VX = 123-93
CITE VY = 123-94
CITE VZ = 123-95
CITE WA = 123-96
CITE WB = 123-97
CITE WC = 123-98
CITE WD = 123-99
CITE WE = 124-00
CITE WF = 124-01
CITE WG = 124-02
CITE WH = 124-03
CITE WI = 124-04
CITE WJ = 124-05
CITE WK = 124-06
CITE WL = 124-07
CITE WM = 124-08
CITE WN = 124-09
CITE WO = 124-10
CITE WP = 124-11
CITE WQ = 124-12
CITE WR = 124-13
CITE WS = 124-14
CITE WT = 124-15
CITE WU = 124-16
CITE WV = 124-17
CITE WX = 124-18
CITE WY = 124-19
CITE WZ = 124-20
CITE XA = 124-21
CITE XB = 124-22
CITE XC = 124-23
CITE XD = 124-24
CITE XE = 124-25
CITE XF = 124-26
CITE XG = 124-27
CITE XH = 124-28
CITE XI = 124-29
CITE XJ = 124-30
CITE XK = 124-31
CITE XL = 124-32
CITE XM = 124-33
CITE XN = 124-34
CITE XO = 124-35
CITE XP = 124-36
CITE XQ = 124-37
CITE XR = 124-38
CITE XS = 124-39
CITE XT = 124-40
CITE XU = 124-41
CITE XV = 124-42
CITE XW = 124-43
CITE XX = 124-44
CITE XY = 124-45
CITE XZ = 124-46
CITE YA = 124-47
CITE YB = 124-48
CITE YC = 124-49
CITE YD = 124-50
CITE YE = 124-51
CITE YF = 124-52
CITE YG = 124-53
CITE YH = 124-54
CITE YI = 124-55
CITE YJ = 124-56
CITE YK = 124-57
CITE YL = 124-58
CITE YM = 124-59
CITE YN = 124-60
CITE YO = 124-61
CITE YP = 124-62
CITE YQ = 124-63
CITE YR = 124-64
CITE YS = 124-65
CITE YT = 124-66
CITE YU = 124-67
CITE YV = 124-68
CITE YW = 124-69
CITE YX = 124-70
CITE YY = 124-71
CITE YZ = 124-72
CITE ZA = 124-73
CITE ZB = 124-74
CITE ZC = 124-75
CITE ZD = 124-76
CITE ZE = 124-77
CITE ZF = 124-78
CITE ZG = 124-79
CITE ZH = 124-80
CITE ZI = 124-81
CITE ZJ = 124-82
CITE ZK = 124-83
CITE ZL = 124-84
CITE ZM = 124-85
CITE ZN = 124-86
CITE ZO = 124-87
CITE ZP = 124-88
CITE ZQ = 124-89
CITE ZR = 124-90
CITE ZS = 124-91
CITE ZT = 124-92
CITE ZU = 124-93
CITE ZV = 124-94
CITE ZW = 124-95
CITE ZX = 124-96
CITE ZY = 124-97
CITE ZZ = 124-98
CITE AA = 124-99
CITE AB = 125-00
CITE AC = 125-01
CITE AD = 125-02
CITE AE = 125-03
CITE AF = 125-04
CITE AG = 125-05
CITE AH = 125-06
CITE AI = 125-07
CITE AJ = 125-08
CITE AK = 125-09
CITE AL = 125-10
CITE AM = 125-11
CITE AN = 125-12
CITE AO = 125-13
CITE AP = 125-14
CITE AQ = 125-15
CITE AR = 125-16
CITE AS = 125-17
CITE AT = 125-18
CITE AU = 125-19
CITE AV = 125-20
CITE AW = 125-21
CITE AX = 125-22
CITE AY = 125-23
CITE AZ = 125-24
CITE BA = 125-25
CITE BB = 125-26
CITE BC = 125-27
CITE BD = 125-28
CITE BE = 125-29
CITE BF = 125-30
CITE BG = 125-31
CITE BH = 125-32
CITE BI = 125-33
CITE BJ = 125-34
CITE BK = 125-35
CITE BL = 125-36
CITE BM = 125-37
CITE BN = 125-38
CITE BO = 125-39
CITE BP = 125-40
CITE BQ = 125-41
CITE BR = 125-42
CITE BS = 125-43
CITE BT = 125-44
CITE BU = 125-45
CITE BV = 125-46
CITE BW = 125-47
CITE BX = 125-48
CITE BY = 125-49
CITE BZ = 125-50
CITE CA = 125-51
CITE CB = 125-52
CITE CC = 125-53
CITE CD = 125-54
CITE CE = 125-55
CITE CF = 125-56
CITE CG = 125-57
CITE CH = 125-58
CITE CI = 125-59
CITE CJ = 125-60
CITE CK = 125-61
CITE CL = 125-62
CITE CM = 125-63
CITE CN = 125-64
CITE CO = 125-65
CITE CP = 125-66
CITE CQ = 125-67
CITE CR = 125-68
CITE CS = 125-69
CITE CT = 125-70
CITE CU = 125-71
CITE CV = 125-72
CITE CW = 125-73
CITE CX = 125-74
CITE CY = 125-75
CITE CZ = 125-76
CITE DA = 125-77
CITE DB = 125-78
CITE DC = 125-79
CITE DD = 125-80
CITE DE = 125-81
CITE DF = 125-82
CITE DG = 125-83
CITE DH = 125-84
CITE DI = 125-85
CITE DJ = 125-86
CITE DK = 125-87
CITE DL = 125-88
CITE DM = 125-89
CITE DN = 125-90
CITE DO = 125-91
CITE DP = 125-92
CITE DQ = 125-93
CITE DR = 125-94
CITE DS = 125-95
CITE DT = 125-96
CITE DU = 125-97
CITE DV = 125-98
CITE DW = 125-99
CITE DX = 126-00
CITE DY = 126-01
CITE DZ = 126-02
CITE EA = 126-03
CITE EB = 126-04
CITE EC = 126-05
CITE ED = 126-06
CITE EE = 126-07
CITE EF = 126-08
CITE EG = 126-09
CITE EH = 126-10
CITE EI = 126-11
CITE EJ = 126-12
CITE EK = 126-13
CITE EL = 126-14
CITE EM = 126-15
CITE EN = 126-16
CITE EO = 126-17
CITE EP = 126-18
CITE EQ = 126-19
CITE ER = 126-20
CITE ES = 126-21
CITE ET = 126-22
CITE EU = 126-23
CITE EV = 126-24
CITE EW = 126-25
CITE EX = 126-26
CITE EY = 126-27
CITE EZ = 126-28
CITE FA = 126-29
CITE FB = 126-30
CITE FC = 126-31
CITE FD = 126-32
CITE FE = 126-33
CITE FF = 126-34
CITE FG = 126-35
CITE FH = 126-36
CITE FI = 126-37
CITE FJ = 126-38
CITE FK = 126-39
CITE FL = 126-40
CITE FM = 126-41
CITE FN = 126-42
CITE FO = 126-43
CITE FP = 126-44
CITE FQ = 126-45
CITE FR = 126-46
CITE FS = 126-47
CITE FT = 126-48
CITE FU = 126-49
CITE FV = 126-50
CITE FW = 126-51
CITE FX = 126-52
CITE FY = 126-53
CITE FZ = 126-54
CITE GA = 126-55
CITE GB = 126-56
CITE GC = 126-57
CITE GD = 126-58
CITE GE = 126-59
CITE GF = 126-60
CITE GG = 126-61
CITE GH = 126-62
CITE GI = 126-63
CITE GJ = 126-64
CITE GK = 126-65
CITE GL = 126-66
CITE GM = 126-67
CITE GN = 126-68
CITE GO = 126-69
CITE GP = 126-70
CITE GQ = 126-71
CITE GR = 126-72
CITE GS = 126-73
CITE GT = 126-74
CITE GU = 126-75
CITE GV = 126-76
CITE GW = 126-77
CITE GX = 126-78
CITE GY = 126-79
CITE GZ = 126-80
CITE HA = 126-81
CITE HB = 126-82
CITE HC = 126-83
CITE HD = 126-84
CITE HE = 126-85
CITE HF = 126-86
CITE HG = 126-87
CITE HI = 126-88
CITE HJ = 126-89
CITE HK = 126-90
CITE HL = 126-91
CITE HM = 126-92
CITE HN = 126-93
CITE HO = 126-94
CITE HP = 126-95
CITE HQ = 126-96





Fact Sheet: Arsenic Treated Wood

Department of Health and
Human Services
11 State House Station
Augusta, ME 04333

Maine CDC
Environmental and
Occupational Health Program

Toll Free in Maine: 866-292-3474
Fax: 207-287-3981
TTY: 207-287-8066
Email: ehu@maine.gov

IF YOU WORK WITH CCA WOOD

- **NEVER** burn CCA wood.
- Wear gloves when handling CCA wood
- Wear a dust mask when sanding or cutting CCA wood
- Don't work with CCA wood in an enclosed area (like a garage)

Apply a coating to seal the wood every 1-2 years

TO LEARN MORE

Eric Frohberg
Environmental and
Occupational Health
Program
Maine CDC
Toll-free in Maine 866-
292-3474
TTY: 207-287-8066
[www.maine.gov/dhhs/
cohp](http://www.maine.gov/dhhs/cohp)

Does Your New Home Have Arsenic (CCA) Treated Wood?

About half of all Maine homes have a deck, or playground or some other structure that is made of wood treated with arsenic. This wood is called "CCA pressure-treated wood" or just "pressure-treated" wood. The wood was treated with arsenic to protect against rot and insects.

Too much arsenic can cause cancer. So it is good to prevent arsenic getting into your body when you can. When you touch wood treated with arsenic, you can get arsenic on your hands. The arsenic on your hands can get into your mouth if you are not careful about washing before eating. Young children are most at risk because they are more likely to put their hands in their mouths. The good news is that there are simple things you can do to protect yourself and your family from arsenic treated wood. This fact sheet will tell you how.



Children touching unsealed treated wood, and then putting their hands in their mouths is the biggest concern.

First: Does your house have arsenic treated (CCA) wood?

When arsenic treated wood is new, it tends to have a greenish tint. When CCA wood is older, it is harder to tell. Ask your realtor if the seller knows whether CCA wood was used. You can also test the wood to find out if it contains arsenic. Call us to find out how.

Second: If so, reduce contact with the arsenic.

You can lower the amount of arsenic on the surface of the wood by applying a coating on the wood every 1-2 years. Oil-based sealants, varnishes, or polyurethane work best for sealing arsenic in the wood. Be sure to wash your children's hands when they finish playing on or near CCA wood.

Third: If you have any questions, call us toll-free in Maine: 866-292-3474

Common Questions

What is CCA wood?

CCA wood is made by dipping the wood in a mixture of chemicals. These chemicals include chromium, copper, and arsenic. This protects the wood against insects and rot. This wood is known as CCA wood or "pressure treated" wood. Most pressure treated wood in the U.S. is CCA wood. After December 31, 2003, no more CCA wood will be made for use around homes. CCA wood may still be sold for home use until April 1, 2004 in the state of Maine.

What is Arsenic?

Arsenic is found in soil and rocks. Most people get a little arsenic every day from the food they eat. Also, some people have arsenic in their private wells, which is why it is important that anyone with a well have it tested for arsenic. People who are exposed to too much arsenic over many years are more likely to get cancer.

Have you tested your well water for arsenic?



Your water looks, smells and tastes fine. So why do you need to test it?

It is hard to believe that water that looks, smells and tastes fine may not be safe to drink. But the truth is that 1 in 10 wells in Maine has water that is high in arsenic. There are wells high in arsenic in all parts of Maine.

Protect your family. Test your well for arsenic every 3 to 5 years.

How to Test Your Well Water

1. Call a lab.

- Call a certified lab and ask for an arsenic test kit for your well water. You can find a lab at this website: wellwater.maine.gov. Or call the Maine Lab Certification Officer at 207-287-1929.
- If you have never tested your well water for bacteria, nitrites and nitrates, or other chemicals like radon, uranium and fluoride, ask your lab for a test kit for all of these.

2. Do the test.

- Your test kit will arrive in the mail. It will have empty bottles, directions and forms to fill out.
- Follow the directions and mail the bottles back to the lab with the forms.
- Watch a video on how to do a water test: youtube.com/user/MainePublicHealth

3. Get your results.

- Your test results will come to you in the mail.
- If you have too much arsenic in your water, or if you are not sure you understand your test results, call 866-292-3474 (toll-free in Maine) or 207-287-4311 to speak to an expert.

Why Arsenic is Bad

People who drink water with too much arsenic for many years are more likely to get cancer. Arsenic can cause skin, bladder and lung cancers.

It may cause low birthweight and affect brain development in babies if pregnant women drink water with too much arsenic in it. Arsenic can also affect brain development in young children. Other problems from drinking water with very high arsenic levels include: stomach pain, nausea, diarrhea, numbness or tingling in the hands and feet and changes in skin.

Your chance of having any of these health problems depends on:

- how much arsenic is in your water;
- how much water you drink;
- how long you have been drinking the water.

Solving Arsenic Problems

There are actions you can take to protect your family if your water has too much arsenic. First, you can switch to bottled water for drinking and making drinks. This will allow you time to decide if you want to install a water treatment system.

Call us at 866-292-3474 (toll-free in Maine) or 207-287-4311 if you have high arsenic. We can help you decide how to solve the problem.

Protect your family. Test your well.

- For more information: wellwater.maine.gov
- Call for advice: 866-292-3474 • TTY: Call Maine Relay 711



Maine Center for Disease
Control and Prevention
in collaboration with
the Department of Health and Human Services

April 2013



Dept. of Professional & Financial Regulation
Office of Professional & Occupational Regulation
MAINE REAL ESTATE COMMISSION

35 State House Station Augusta ME 04333-0035



REAL ESTATE BROKERAGE RELATIONSHIPS FORM

Right Now You Are A Customer

Are you interested in buying or selling residential real estate in Maine? Before you begin working with a real estate licensee it is important for you to understand that Maine Law provides for different levels of brokerage service to buyers and sellers. You should decide whether you want to be represented in

a transaction (as a client) or not (as a customer). To assist you in deciding which option is in your best interest, please review the following information about real estate brokerage relationships:

Maine law requires all real estate brokerage companies and their affiliated licensees ("licensee") to perform certain basic duties when dealing with a buyer or seller. You can expect a real estate licensee you deal with to provide the following customer-level services:

- ✓ To disclose all material defects pertaining to the physical condition of the real estate that are known by the licensee;
- ✓ To treat both the buyer and seller honestly and not knowingly give false information;
- ✓ To account for all money and property received from or on behalf of the buyer or seller; and
- ✓ To comply with all state and federal laws related to real estate brokerage activity.

Until you enter into a written brokerage agreement with the licensee for client-level representation you are considered a "customer" and the licensee is not your agent. As a customer, you should not expect the licensee to promote your best interest, or to keep any information you give to the licensee confidential, including your bargaining position.

You May Become A Client

If you want a licensee to represent you, you will need to enter into a written listing agreement or a written buyer representation agreement. These agreements create a client-agent relationship between you and the licensee. As a client you can expect the licensee to provide the following services, in addition to the basic services required of all licensees listed above:

services required of all licensees listed above:

- ✓ To perform the terms of the written agreement with skill and care;
- ✓ To promote your best interests;
 - For seller clients this means the agent will put the seller's interests first and negotiate the best price and terms for the seller;
 - For buyer clients this means the agent will put the buyer's interests first and negotiate for the best prices and terms for the buyer; and
- ✓ To maintain the confidentiality of specific client information, including bargaining information.

COMPANY POLICY ON CLIENT-LEVEL SERVICES WHAT YOU NEED TO KNOW

The real estate brokerage company's policy on client-level services determines which of the three types of agent-client relationships permitted in Maine may be offered to you. The agent-client relationships permitted in Maine are as follows:

- ✓ The company and all of its affiliated licensees represent you as a client (called "single agency");
- ✓ The company appoints, with your written consent, one or more of the affiliated licensees to represent you as an agent(s) (called "appointed agency");
- ✓ The company may offer limited agent level services as a disclosed dual agent.

WHAT IS A DISCLOSED DUAL AGENT?

In certain situations a licensee may act as an agent for and represent both the buyer and the seller in the same transaction. This is called **disclosed dual agency**. Both the buyer and the seller must consent to this type of representation in writing.

Working with a dual agent is not the same as having your own exclusive agent as a single or appointed agent. For instance, when representing both a buyer and a seller, the dual agent must not disclose to one party confidential information obtained from the other party.

Remember!

Unless you enter into a written agreement for agency representation, you are a customer—not a client.

THIS IS NOT A CONTRACT

It is important for you to know that this form is not a contract. The licensee's completion of the statement below acknowledges that you have been given the information required by Maine law regarding brokerage relationships so that you may make an informed decision as to the relationship you wish to establish with the licensee/company.

To Be Completed By Licensee

This form was presented on (date) _____

To _____
Name of Buyer(s) or Seller(s)

by _____
Licensee's Name

on behalf of _____
The Knowles Company
Company/Agency

MREC Form#3 Revised 07/11
Office Title Changed 09/11

To check on the license status of the real estate brokerage company or affiliated licensee go to www.maine.gov/professionallicensing. Inactive licensees may not practice real estate brokerage.