


# AURORA

310 Red Point Road

Swans Island

\$1,250,000



*Distinctive properties.  
Legendary service.*



Sparkling, pink granite coastline with flat "picnic rocks" and beach of rounded granite "popplestones" describe this special piece of the Maine coast. Stunning 3.5+/- acre property with its 380+/- feet of waterfront with island studded views on the Gulf of Maine. "Aurora" is your classic Maine shingled cottage, beautifully designed, meticulously maintained, year-round home with open layout, hardwood floors and thoughtful design throughout. A gentle slope to the water, allows for all to enjoy and explore along this dynamic coastline. Enjoy the ever-present bird and wildlife, as well as, the boats that move through your ever-changing view. Find you spot in Maine.

---

For more information, please contact: THE KNOWLES COMPANY

One Summit Road  
Northeast Harbor, Maine 04662  
207.276.3322

[info@KnowlesCo.com](mailto:info@KnowlesCo.com)  
[www.KnowlesCo.com](http://www.KnowlesCo.com)

The Knowles Company represents both sellers and buyers, and practices an Appointed Agency Policy. We have a fiduciary responsibility to disclose to our client all information material to the sale of this property acquired from any source.

# AURORA

310 Red Point Road  
Swans Island



---

For more information, please contact: THE KNOWLES COMPANY

One Summit Road  
Northeast Harbor, Maine 04662  
207.276.3322

[info@KnowlesCo.com](mailto:info@KnowlesCo.com)  
[www.KnowlesCo.com](http://www.KnowlesCo.com)

*The Knowles Company represents both sellers and buyers, and practices an Appointed Agency Policy. We have a fiduciary responsibility to disclose to our client all information material to the sale of this property acquired from any source.*



## Public Detail Report

MLS #: 1627416

County: Hancock

Association Fee: \$400/ Annually

List Price: \$1,250,000

Status: Active

Property Type: Residential

Seasonal: No

Original List Price: \$1,250,000

Directions: Take Swans Island ferry. Take ferry road to Atlantic rd, Left on Atlantic until junction at Red Point Rd. Stay right and 310 Red point Rd will be on your left.



**310 Red Point Road  
Swans Island, ME  
04685-3409**

**List Price: \$1,250,000  
MLS#: 1627416**



## General Information

Sub-Type: Single Family Residence	Year Built: 2006	Rooms: 6	Sqft Fin Abv Grd+/-: 1,608
Style: Cottage	Fireplaces Total: 0	Beds: 3	Sqft Fin Blw Grd+/-: 0
		Baths: 1/1	Sqft Fin Total+/-: 1,608
			Source of Sqft: Seller

## Land Information

Leased Land: No	Waterfront: Yes	Waterfront Amount: 380	Zoning: Shoreland
Lot Size Acres +/-: 3.48	Src of Wtrfrt: Public Records	Waterfront Owned +/-: 380	Zoning Overlay: No
Source of Acreage: Public Records	Water Views: Yes	Waterfront Shared +/-: 0	
Surveyed: Yes		Water Body: Gulf of Maine, Atlantic ocean	
		Water Body Type: Ocean	

## Interior Information

Full Baths Bsmnt: 0	Half Baths Bsmnt: 0	VA Certification:
Full Baths Lvl 1: 0	Half Baths Lvl 1: 1	
Full Baths Lvl 2: 1	Half Baths Lvl 2: 0	
Full Baths Lvl 3: 0	Half Baths Lvl 3: 0	
Full Baths Upper: 0	Half Baths Upper: 0	

Appliances: Dishwasher; Dryer; Gas Range; Refrigerator; Washer

Room Name	Length	Width	Level	Room Features
Kitchen			First	Eat-in Kitchen, Kitchen Island
Living Room			First	Cathedral Ceiling(s), Vaulted Ceiling(s)

Den	First	
Primary	Second	Balcony/Deck, Closet
Bedroom		
Bedroom 1	Second	Closet, Full Bath
Bedroom 2	Second	

## Property Features

Site: Open; Rolling/Sloping; Wooded	Construction: Wood Frame
Driveway: Gravel; Paved	Basement Info: Full; Walk-Out Access
Parking: 1 - 4 Spaces	Foundation Materials: Poured Concrete
Location: Rural	Exterior: Wood Siding
Rec. Water: Oceanfront; Waterfront Deep	Roof: Composition; Shingle
Roads: Association; Dead End; Dirt; Right of Way	Heat System: Hot Water; Zoned
Electric: Circuit Breakers	Heat Fuel: Oil
Gas: Bottled	Water Heater: Off Heating System
Sewer: Private Sewer; Septic Tank	Cooling: None
Water: Private; Well	Floors: Engineered Hardwood; Tile
Equipment: Generator; Internet Access Available	Veh. Storage: No Vehicle Storage
Basement Entry: Interior	Garage: No
	Amenities: Laundry - 1st Floor
	Patio and Porch Features: Deck; Porch
	View: Scenic
	Energy Efficiency: Ceiling Fans

## Tax/Deed Information

Book/Page 3695/5043/109/262

Full Tax Amt/Yr: \$7,168/ 2024

Map/Block/Lot: 16//39

Tax ID: 001550463

**Remarks**

**Remarks:** Sparkling, pink granite coastline with flat "picnic rocks" and beach of rounded granite "popplestones" define this special piece of the Maine coast. Stunning 3.5+/- acre property with 380+/- feet of waterfront and island studded views of the Gulf of Maine. "Aurora" is your classic Maine shingled cottage, beautifully designed, meticulously maintained, year-round home with open layout, wood floors and thoughtful design throughout. A gentle slope to the water, allows for all to enjoy and explore along this dynamic coastline. Enjoy the ever-present bird and wildlife, as well as, the boats that move through your ever-changing view. Being sold fully furnished including recreational gear. Find your spot in Maine.

**LO: The Knowles Company****Listing provided courtesy of:**

The Knowles Company  
One Summit Road  
Northeast Harbor, ME 04662  
207-276-3322

The information on MLS listings has been assembled from various sources of varying degrees of reliability. Any information that is critical to your buying decision should be independently verified. All dimensions are approximate and not guaranteed. Copyright Maine Listings © 2025 and FBS. Broker Attribution: 207 276-3322

MAINE  
Listings

PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

## PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

**DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.**

### SECTION I - WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal \_\_\_\_\_ ☐ Unknown  
☒ Drilled ☐ Dug ☐ Other \_\_\_\_\_

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water system?

Pump (if any): \_\_\_\_\_ ☐ N/A ☐ Yes ☒ No ☐ Unknown  
 Quantity: \_\_\_\_\_ ☐ Yes ☒ No ☐ Unknown  
 Quality: \_\_\_\_\_ ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? \_\_\_\_\_ ☒ Yes ☐ No  
 If Yes, Date of most recent test: \_\_\_\_\_ Are test results available? .. ☐ Yes ☐ No  
 To your knowledge, have any test results ever been reported as unsatisfactory or satisfactory with notation? \_\_\_\_\_ ☒ Yes ☐ No  
 If Yes, are test results available? \_\_\_\_\_ ☒ Yes ☐ No  
 What steps were taken to remedy the problem? Water filtration system in place.

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: West/southwest side of house about 20 ft from house.

Installed by: Carmel Well Drilling

Date of Installation: 2003

USE: Number of persons currently using system: 2

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: Water Filtration System serviced by Norlens Water Treatment

Source of Section I information: Seller, Broker Observation

Buyer Initials \_\_\_\_\_

Page 1 of 8

Seller Initials

Initial Initial  
CJA LSH

PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

## SECTION II - WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public \_\_\_\_\_ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

~~Have you had the sewer line inspected?..... ☐ Yes ☐ No~~

~~If Yes, what results: \_\_\_\_\_~~

~~Have you experienced any problems such as line or other malfunctions? ..... ☐ Yes ☐ No~~

~~What steps were taken to remedy the problem? \_\_\_\_\_~~

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: \_\_\_\_\_

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: \_\_\_\_\_

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: \_\_\_\_\_

Location: North/northeast side of house OR ☐ Unknown

Date installed: 2003 Date last pumped: 09/29/2020 Name of pumping company: Royal Flush

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem: \_\_\_\_\_

Date of last servicing of tank: \_\_\_\_\_ Name of company servicing tank: Royal Flush

Leach Field: ..... ☒ Yes ☐ No ☐ Unknown

If Yes, Location: North/ northeast side of house.

Date of installation of leach field: 2003 Installed by: Bill Banks

Date of last servicing of leach field: \_\_\_\_\_ Company servicing leach field: \_\_\_\_\_

Have you experienced any malfunctions? ..... ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: \_\_\_\_\_

Do you have records of the design indicating the # of bedrooms the system was designed for? ☒ Yes ☐ No

If Yes, are they available? ..... ☒ Yes ☐ No

Is System located in a Shoreland Zone? ..... ☒ Yes ☐ No ☐ Unknown

Comments: \_\_\_\_\_

Source of Section II information: Seller, Public Record, Broker Observation

Buyer Initials \_\_\_\_\_

Page 2 of 8

Seller Initials

Initial  
CJA Initial  
KSH

PROPERTY LOCATED AT: 310 Red Point Rd. Swans Island, ME 04685**SECTION III - HEATING SYSTEM(S)/HEATING SOURCE(S)**

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S) of System	HWBB (oil)			
Age of system(s) or source(s)	2006			
TYPE(S) of Fuel	oil			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	Approx 500 gal/annually Swans's Island Fuel			
Name of company that services system(s) or source(s)	HG Reed			
Date of most recent service call	Fall 2024			
Malfunctions per system(s) or source(s) within past 2 years	None			
Other pertinent information	Annually serviced			

Are there fuel supply lines? ..... ☒ Yes ☐ No ☐ UnknownAre any buried? ..... ☐ Yes ☒ No ☐ UnknownAre all sleeved? ..... ☒ Yes ☐ No ☐ UnknownChimney(s): ..... ☐ Yes ☒ NoIf Yes, are they lined: ..... ☐ Yes ☐ No ☐ UnknownIs more than one heat source vented through one flue? ..... ☐ Yes ☐ No ☐ UnknownHad a chimney fire: ..... ☐ Yes ☐ No ☐ UnknownHas chimney(s) been inspected? ..... ☐ Yes ☐ No ☐ Unknown

If Yes, date: \_\_\_\_\_

Date chimney(s) last cleaned: \_\_\_\_\_

Direct/Power Vent(s): ..... ☐ Yes ☒ No ☐ UnknownHas vent(s) been inspected? ..... ☐ Yes ☐ No ☐ Unknown

If Yes, date: \_\_\_\_\_

Comments: Full house generator. No Frills provides propane. Propane tanks owned by Seller.Source of Section III information: Seller, Broker observation**SECTION IV - HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

**A. UNDERGROUND STORAGE TANKS** - Are there now, or have there ever been, any underground storage tanks on the property? ..... ☐ Yes ☒ No ☐ UnknownIf Yes, are tanks in current use? ..... ☐ Yes ☐ No ☐ Unknown

If no longer in use, how long have they been out of service? \_\_\_\_\_

If tanks are no longer in use, have tanks been abandoned according to DEP? ..... ☐ Yes ☐ No ☐ UnknownAre tanks registered with DEP? ..... ☐ Yes ☐ No ☐ Unknown

Age of tank(s): \_\_\_\_\_ Size of tank(s): \_\_\_\_\_

Location: \_\_\_\_\_

Buyer Initials \_\_\_\_\_

Page 3 of 8

Seller Initials

Initial  
CJAInitial  
KSH

PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

What materials are, or were, stored in the tank(s)? \_\_\_\_\_

Have you experienced any problems such as leakage: ..... ☐ Yes ☐ No ☐ Unknown

Comments: **No known underground tanks.**

Source of information: **Seller, Broker**

**B. ASBESTOS** - Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ..... ☐ Yes ☒ No ☐ Unknown

In the ceilings? ..... ☐ Yes ☒ No ☐ Unknown

In the siding? ..... ☐ Yes ☒ No ☐ Unknown

In the roofing shingles? ..... ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ..... ☐ Yes ☒ No ☐ Unknown

Other: \_\_\_\_\_ ☐ Yes ☒ No ☐ Unknown

Comments: **No known asbestos.**

Source of information: **Seller, Broker observation**

**C. RADON/AIR** - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: 10/28/2020 By: Norlens Water Treatment

Results: 11pCi/L

If applicable, what remedial steps were taken? **None.**

Has the property been tested since remedial steps? ..... ☐ Yes ☒ No ☐ Unknown

Are test results available? ..... ☒ Yes ☐ No

Results/Comments: **Sample taken in the unfinished basement. Sellers chose not to remediate.**

Source of information: **Seller, Test results**

**D. RADON/WATER** - Current or previously existing:

Has the property been tested? ..... ☒ Yes ☐ No ☐ Unknown

If Yes: Date: October 7, 2020 By: Norlens Water Treatment

Results: 6535pCi/L

If applicable, what remedial steps were taken? **None**

Has the property been tested since remedial steps? ..... ☐ Yes ☒ No ☐ Unknown

Are test results available? ..... ☒ Yes ☐ No

Results/Comments: \_\_\_\_\_

Source of information: **Seller, Test Results**

**E. METHAMPHETAMINE** - Current or previously existing:

☐ Yes ☒ No ☐ Unknown

Comments: **No known methamphetamines**

Source of information: **Seller, Broker**

Buyer Initials \_\_\_\_\_

Page 4 of 8

Seller Initials

Initial  
CJA

Initial  
KSA



PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

**F. LEAD-BASED PAINT/PAINT HAZARDS** - (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property? .....  
 ..... Yes ☐ No ☒ Unknown ☐ Unknown (but possible due to age)

If Yes, describe location and basis for determination: \_\_\_\_\_

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: \_\_\_\_\_

Are you aware of any cracking, peeling or flaking paint? ..... ☐ Yes ☒ No

Comments: No known lead based paints.

Source of information: Seller, Broker

**G. OTHER HAZARDOUS MATERIALS** - Current or previously existing:

TOXIC MATERIAL: ..... ☐ Yes ☒ No ☐ Unknown

LAND FILL: ..... ☐ Yes ☒ No ☐ Unknown

RADIOACTIVE MATERIAL: ..... ☐ Yes ☒ No ☐ Unknown

Other: No known hazardous materials.

Source of information: Seller, Broker

**Buyers are encouraged to seek information from professionals regarding any specific issue or concern.**

**SECTION V - ACCESS TO THE PROPERTY**

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, explain: ROW, Road Association

Source of information: Deed

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ..... | Yes ☐ No ☒ Unknown

If No, who is responsible for maintenance? Red Point Road Association

Road Association Name (if known): Red Point Road Association

Source of information: Seller, Broker

Buyer Initials \_\_\_\_\_

Page 5 of 8

Seller Initials CJA KSH

PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

## SECTION VI – FLOOD HAZARD

For the purposes of this section, Maine law defines "flood" as follows:

- (1) A general and temporary condition of partial or complete inundation of normally dry areas from: (a) The overflow of inland or tidal waters; or (b) The unusual and rapid accumulation or runoff of surface waters from any source; or
- (2) The collapse or subsidence of land along the shore of a lake or other body of water as a result of erosion or undermining caused by waves or currents of water exceeding anticipated cyclical levels or suddenly caused by an unusually high water level in a natural body of water, accompanied by a severe storm or by an unanticipated force of nature, such as a flash flood or an abnormal tidal surge, or by some similarly unusual and unforeseeable event that results in flooding as described in subparagraph (1), division (a).

For purposes of this section, Maine law defines "area of special flood hazard" as land in a floodplain having 1% or greater chance of flooding in any given year, as identified in the effective federal flood insurance study and corresponding flood insurance rate maps.

During the time the seller has owned the property:

Have any flood events affected the property? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: \_\_\_\_\_

Have any flood events affected a structure on the property? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: \_\_\_\_\_

Has any flood-related damage to a structure occurred on the property? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: \_\_\_\_\_

Has there been any flood insurance claims filed for a structure on the property? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the dates of each claim: \_\_\_\_\_

Has there been any past disaster-related aid provided related to the property or a structure on the property from federal, state or local sources for purposes of flood recovery? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, indicate the date of each payment: \_\_\_\_\_

Is the property currently located wholly or partially within an area of special flood hazard mapped on the effective flood insurance rate map issued by the Federal Emergency Management Agency on or after March 4, 2002? ..... ☒ Yes ☐ No ☐ Unknown

If yes, what is the federally designated flood zone for the property indicated on that flood insurance rate map?

All Structures in (Zone X minimal flood hazard), Immediate Shoreline (Zone VE).

Relevant Panel Number: 23009C1419D Year: 7/20/2016 (Attach a copy)

Comments: \_\_\_\_\_

Source of Section VI information: Fema Flood Maps, Seller

Buyer Initials \_\_\_\_\_

Page 6 of 8

Seller Initials

Initial  
CSH

Initial  
ESH

# National Flood Hazard Layer FIRMette



68°24'14"W 44°08'43"N

## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

Without Base Flood Elevation (BFE)  
Zone A, V, A99

With BFE or Depth Zone AE, AO, AH, VE, AR

Regulatory Floodway

0.2% Annual Chance Flood Hazard, Area of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile (Zone J)

Future Conditions 1% Annual Chance Flood Hazard Zone A

Area with Reduced Flood Risk due to Levee. See Notes, Zone X

Area with Flood Risk due to Levee Zone D

NO SCREEN

Area of Minimal Flood Hazard Zone X

Effective LOMRs

Area of Undetermined Flood Hazard Zone

Channel, Culvert, or Storm Sewer

Levee, Dike, or Floodwall

Cross Sections with 1% Annual Chance

Water Surface Elevation

Coastal Transect

Base Flood Elevation Line (BFE)

Limit of Study

Jurisdiction Boundary

Coastal Transect Baseline

Profile Baseline

Hydrographic Feature

Digital Data Available

No Digital Data Available

Unmapped

MAP PANELS

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **6/18/2025 at 3:57 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.



PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

## SECTION VII - GENERAL INFORMATION

Are there any tax exemptions or reductions for this property for any reason including but not limited to:  
Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....  
..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: \_\_\_\_\_

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown

Are there any actual or alleged violations of a shoreland zoning ordinance  
including those that are imposed by the state or municipality? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: \_\_\_\_\_

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water  
filtration system, photovoltaics, wind turbines): Type: \_\_\_\_\_

Year Principal Structure Built: 2006 What year did Seller acquire property? 2003

Roof: Year Shingles/Other Installed: New Fall of 2024

Water, moisture or leakage: none

Comments: \_\_\_\_\_

Foundation/Basement:

Is there a Sump Pump? ..... ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ..... ☐ Yes ☒ No ☐ Unknown

Prior water, moisture or leakage? ..... ☐ Yes ☒ No ☐ Unknown

Comments: \_\_\_\_\_

Mold: Has the property ever been tested for mold? ..... ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ..... ☐ Yes ☐ No

Comments: No known mold

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: \_\_\_\_\_ ☐ Unknown

Comments: \_\_\_\_\_

Has all or a portion of the property been surveyed? ..... ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ..... ☐ Yes ☐ No ☐ Unknown

Manufactured Housing - Is the residence a:

Mobile Home ..... ☐ Yes ☒ No ☐ Unknown

Modular ..... ☐ Yes ☒ No ☐ Unknown

Known defects or hazardous materials caused by insect or animal infestation inside or on the residential structure  
..... ☐ Yes ☒ No ☐ Unknown

Comments: \_\_\_\_\_

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may  
have an adverse impact on health/safety: No known material defects.

Comments: \_\_\_\_\_

Source of Section VII information: Seller, Broker

Buyer Initials \_\_\_\_\_

Page 7 of 8

Seller Initials

Initial Initial  
CJA LSA



PROPERTY LOCATED AT: 310 Red Point Rd, Swans Island, ME 04685

**SECTION VIII - ADDITIONAL INFORMATION**

-----  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL INFORMATION IN ANY SECTION IN DISCLOSURE: ..... ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Signed by: Keith S. Harriton 6/19/2025  
SELLER EB32932D7A44F... DATE  
**Keith S. Harriton**

Signed by: Cathy Jean Harriton  
SELLER EB3BC9DE4D947A... DATE  
**Cathy Jean Harriton**

SELLER \_\_\_\_\_ DATE \_\_\_\_\_

SELLER \_\_\_\_\_ DATE \_\_\_\_\_

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

BUYER \_\_\_\_\_ DATE \_\_\_\_\_

BUYER \_\_\_\_\_ DATE \_\_\_\_\_



**LEAD PAINT DISCLOSURE/ADDENDUM**AGREEMENT BETWEEN Keith S. Harriton, Cathy Jean Harriton

(hereinafter "Seller")

AND \_\_\_\_\_

(hereinafter "Buyer")

FOR PROPERTY LOCATED AT 310 Red Point Rd, Swans Island, ME 04685

Said contract is further subject to the following terms:

**Lead Warning Statement**

Every purchaser of any interest in residential real property on which a residential dwelling was built prior to 1978 is notified that such property may present exposure to lead from lead-based paint that may place young children at risk of developing lead poisoning. Lead poisoning in young children may produce permanent neurological damage, including learning disabilities, reduced intelligence quotient, behavioral problems, and impaired memory. Lead poisoning also poses a particular risk to pregnant women. The seller of any interest in residential real property is required to provide the buyer with any information on lead-based paint hazards from risk assessments or inspections in the seller's possession and notify the buyer of any known lead-based paint hazards. A risk assessment or inspection for possible lead-based paint hazards is recommended prior to purchase.

**Seller's Disclosure**(a) Presence of lead-based paint and/or lead-based paint hazards (**check one below**):

\_\_\_\_\_ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

\_\_\_\_\_

☒ Seller has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the Seller (**check one below**):

\_\_\_\_\_ Seller has provided the Buyer with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

\_\_\_\_\_

☒ Seller has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

**Buyer's Acknowledgment**

(c) Buyer has received copies of all information listed above.

(d) Buyer has received the pamphlet Protect Your Family from Lead in Your Home.

(e) Buyer has (**check one below**):

\_\_\_\_\_ Received a 10-day opportunity (or mutually agreed upon period) to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards; or

\_\_\_\_\_ Waived the opportunity to conduct a risk assessment or inspection for the presence of lead-based paint and/or lead-based paint hazards.

**Agent's Acknowledgment**

(f) Agent has informed the Seller of the Seller's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

**Certification of Accuracy**

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

Buyer \_\_\_\_\_ Date \_\_\_\_\_

Buyer \_\_\_\_\_ Date \_\_\_\_\_

Buyer \_\_\_\_\_ Date \_\_\_\_\_

Buyer \_\_\_\_\_ Date \_\_\_\_\_

Agent \_\_\_\_\_ Date \_\_\_\_\_

Signed by:

Keith S. Harriton

6/19/2025

Seller Keith S. Harriton

6/19/2025

Seller Cathy Jean Harriton

Date

Seller \_\_\_\_\_

Date

Seller \_\_\_\_\_

Date

Agent Elizabeth Ingebritson

Date



Maine Association of REALTORS®/Copyright © 2025.

All Rights Reserved. Revised 2023.


The Knowles Company, 1 Summit Road Northeast Harbor ME 04662  
Elizabeth Ingebritson

(207)266-7225


(207)276-4114



Harriton



# Town of Swans Island Tax Map, 13 Lot 39





## **F. Dimensional Requirements**

The placement of principal and accessory structures on all lots shall meet or exceed the following minimum requirements:

Seventy-five (75) foot setback from the shoreline boundary of any salt water body;

Seventy-five (75) foot setback from the normal high-water line of tributary streams, freshwater body, or upland edge of a wetland;

One hundred (100) foot setback from the normal high-water line of a great pond;

4. Sixty (60) foot setback from the centerline of the traveled way of all roads open to the public;
5. Ten (10) foot setback from the centerline of any utility right-of-way;
6. Thirty (30) foot setback from all property lines.
7. The first floor elevation or openings of all buildings and structures including basements shall be elevated at least one foot above the elevation of the 100-year flood, the flood of record, or in the absence of these, the flood as defined by soil types identifiable as recent flood plain soils.

Provisions one (1), two (2), three (3), four (4) and seven (7) shall not apply to marine-related structures which require direct access to the water as an operational necessity. Provisions six (6) and seven (7) shall not apply to marine-related structures in the Fishery District.

B5321P243

315	Harriton, Keith S.	329,100	177,500	25,000	481,600	6,116.32
	Harriton, Cathy Jean	Acres	3.48	01 Homestead		
	PO Box 4	Soft:	0.00	0		
	310 Red Point Road	Mixed:	0.00	0		
	Swan's Island ME 04685	Hard:	0.00	0		
		Deadmans Beach				
	310 Red Point Rd					
	16-39					
	B5007P277 B3695P109					
310	Harriton, Keith S.	120,000	2,500	0	175,000	0,000.00

# Have you tested your well water for arsenic?



## **Your water looks, smells and tastes fine. So why do you need to test it?**

It is hard to believe that water that looks, smells and tastes fine may not be safe to drink. But the truth is that 1 in 10 wells in Maine has water that is high in arsenic. There are wells high in arsenic in all parts of Maine.

## **Protect your family. Test your well for arsenic every 3 to 5 years.**

### **How to Test Your Well Water**

#### **1. Call a lab.**

- Call a certified lab and ask for an arsenic test kit for your well water. You can find a lab at this website: [wellwater.maine.gov](http://wellwater.maine.gov). Or call the Maine Lab Certification Officer at 207-287-1929.
- If you have never tested your well water for bacteria, nitrites and nitrates, or other chemicals like radon, uranium and fluoride, ask your lab for a test kit for all of these.

#### **2. Do the test.**

- Your test kit will arrive in the mail. It will have empty bottles, directions and forms to fill out.
- Follow the directions and mail the bottles back to the lab with the forms.
- Watch a video on how to do a water test: [youtube.com/user/MainePublicHealth](http://youtube.com/user/MainePublicHealth)

#### **3. Get your results.**

- Your test results will come to you in the mail.
- If you have too much arsenic in your water, or if you are not sure you understand your test results, call 866-292-3474 (toll-free in Maine) or 207-287-4311 to speak to an expert.

### **Why Arsenic is Bad**

People who drink water with too much arsenic for many years are more likely to get cancer. Arsenic can cause skin, bladder and lung cancers.

It may cause low birthweight and affect brain development in babies if pregnant women drink water with too much arsenic in it. Arsenic can also affect brain development in young children. Other problems from drinking water with very high arsenic levels include: stomach pain, nausea, diarrhea, numbness or tingling in the hands and feet and changes in skin.

Your chance of having any of these health problems depends on:

- how much arsenic is in your water;
- how much water you drink;
- how long you have been drinking the water.

### **Solving Arsenic Problems**

There are actions you can take to protect your family if your water has too much arsenic. First, you can switch to bottled water for drinking and making drinks. This will allow you time to decide if you want to install a water treatment system.

Call us at 866-292-3474 (toll-free in Maine) or 207-287-4311 if you have high arsenic. We can help you decide how to solve the problem.

### **Protect your family. Test your well.**

- For more information: [wellwater.maine.gov](http://wellwater.maine.gov)
- Call for advice: **866-292-3474 • TTY: Call Maine Relay 711**



Maine Center for Disease  
Control and Prevention  
An Office of the  
Department of Health and Human Services

Paul J. Gagne, Director

Mary C. Mahoney, Commissioner

April 2013



# Fact Sheet: Arsenic Treated Wood

Department of Health and  
Human Services  
11 State House Station  
Augusta, ME 04333

Maine CDC  
Environmental and  
Occupational Health Program

Toll Free in Maine: 866-292-3474  
Fax: 207-287-3981  
TTY: 207-287-8066  
Email: ehu@maine.gov

## IF YOU WORK WITH CCA WOOD

- **NEVER** burn CCA wood.
- Wear gloves when handling CCA wood
- Wear a dust mask when sanding or cutting CCA wood
- Don't work with CCA wood in an enclosed area (like a garage)

Apply a coating to seal the wood every 1-2 years

## TO LEARN MORE

Eric Frohberg  
Environmental and  
Occupational Health  
Program  
Maine CDC  
Toll-free in Maine 866-  
292-3474  
TTY: 207-287-8066  
[www.maine.gov/dhhs/  
eohp](http://www.maine.gov/dhhs/eohp)

## Does Your New Home Have Arsenic (CCA) Treated Wood?

About half of all Maine homes have a deck, or playground or some other structure that is made of wood treated with arsenic. This wood is called "CCA pressure-treated wood" or just "pressure-treated" wood. The wood was treated with arsenic to protect against rot and insects.

Too much arsenic can cause cancer. So it is good to prevent arsenic getting into your body when you can. When you touch wood treated with arsenic, you can get arsenic on your hands. The arsenic on your hands can get into your mouth if you are not careful about washing before eating. Young children are most at risk because they are more likely to put their hands in their mouths. The good news is that there are simple things you can do to protect yourself and your family from arsenic treated wood. This fact sheet will tell you how.



Children touching unsealed treated wood, and then putting their hands in their mouths is the biggest concern.

### First: Does your house have arsenic treated (CCA) wood?

When arsenic treated wood is new, it tends to have a greenish tint. When CCA wood is older, it is harder to tell. Ask your realtor if the seller knows whether CCA wood was used. You can also test the wood to find out if it contains arsenic. Call us to find out how.

### Second: If so, reduce contact with the arsenic.

You can lower the amount of arsenic on the surface of the wood by applying a coating on the wood every 1-2 years. Oil-based sealants, varnishes, or polyurethane work best for sealing arsenic in the wood. Be sure to wash your children's hands when they finish playing on or near CCA wood.

### Third: If you have any questions, call us toll-free in Maine: 866-292-3474

## Common Questions

### What is CCA wood?

CCA wood is made by dipping the wood in a mixture of chemicals. These chemicals include chromium, copper, and arsenic. This protects the wood against insects and rot. This wood is known as CCA wood or "pressure treated" wood. Most pressure treated wood in the U.S. is CCA wood. After December 31, 2003, no more CCA wood will be made for use around homes. CCA wood may still be sold for home use until April 1, 2004 in the state of Maine.

### What is Arsenic?

Arsenic is found in soil and rocks. Most people get a little arsenic every day from the food they eat. Also, some people have arsenic in their private wells, which is why it is important that anyone with a well have it tested for arsenic. People who are exposed to too much arsenic over many years are more likely to get cancer.





Dept. of Professional & Financial Regulation  
Office of Professional & Occupational Regulation  
**MAINE REAL ESTATE COMMISSION**

35 State House Station Augusta ME 04333-0035



## REAL ESTATE BROKERAGE RELATIONSHIPS FORM

### Right Now You Are A Customer

Are you interested in buying or selling residential real estate in Maine? Before you begin working with a real estate licensee it is important for you to understand that Maine Law provides for different levels of brokerage service to buyers and sellers. You should decide whether you want to be represented in

a transaction (as a client) or not (as a customer). To assist you in deciding which option is in your best interest, please review the following information about real estate brokerage relationships:

Maine law requires all real estate brokerage companies and their affiliated licensees ("licensee") to perform certain basic duties when dealing with a buyer or seller. You can expect a real estate licensee you deal with to provide the following **customer-level services**:

- ✓ To disclose all material defects pertaining to the physical condition of the real estate that are known by the licensee;
- ✓ To treat both the buyer and seller honestly and not knowingly give false information;
- ✓ To account for all money and property received from or on behalf of the buyer or seller; and
- ✓ To comply with all state and federal laws related to real estate brokerage activity.

Until you enter into a written brokerage agreement with the licensee for client-level representation you are considered a "customer" and the licensee is not your agent. **As a customer, you should not expect the licensee to promote your best interest, or to keep any information you give to the licensee confidential, including your bargaining position.**

### You May Become A Client

If you want a licensee to represent you, you will need to enter into a written listing agreement or a written buyer representation agreement. These agreements **create a client-agent relationship** between you and the licensee. As a client you can expect the licensee to provide the following services, **in addition to** the basic services required of all licensees listed above:

- ✓ To perform the terms of the written agreement with skill and care;
- ✓ To promote your best interests;
  - For seller clients this means the agent will put the seller's interests first and negotiate the best price and terms for the seller;
  - For buyer clients this means the agent will put the buyer's interests first and negotiate for the best prices and terms for the buyer; and
- ✓ To maintain the confidentiality of specific client information, including bargaining information.

### COMPANY POLICY ON CLIENT-LEVEL SERVICES - WHAT YOU NEED TO KNOW

The real estate brokerage company's policy on client-level services determines which of the three types of agent-client relationships permitted in Maine may be offered to you. The agent-client relationships permitted in Maine are as follows:

- ✓ The company and all of its affiliated licensees represent you as a client (called "**single agency**");
- ✓ The company appoints, with your written consent, one or more of the affiliated licensees to represent you as an agent(s) (called "**appointed agency**");
- ✓ The company may offer limited agent level services as a **disclosed dual agent**.

### WHAT IS A DISCLOSED DUAL AGENT?

In certain situations a licensee may act as an agent for and represent both the buyer and the seller in the same transaction. This is called **disclosed dual agency**. *Both the buyer and the seller must consent to this type of representation in writing.*

Working with a dual agent is not the same as having your own exclusive agent as a single or appointed agent. For instance, when representing both a buyer and a seller, the dual agent must not disclose to one party any confidential information obtained from the other party.

**Remember!**  
*Unless you enter into a written agreement  
for agency representation, you are  
a customer—not a client.*

### THIS IS NOT A CONTRACT

It is important for you to know that this form is not a contract. The licensee's completion of the statement below acknowledges that you have been given the information required by Maine law regarding brokerage relationships so that you may make an informed decision as to the relationship you wish to establish with the licensee/company.

#### To Be Completed By Licensee

This form was presented on (date) \_\_\_\_\_  
To \_\_\_\_\_  
Name of Buyer(s) or Seller(s)  
by \_\_\_\_\_  
on behalf of \_\_\_\_\_  
Licensee's Name  
**The Knowles Company**  
Company/Agency

MREC Form#3 Revised 07/2006  
Office Title Changed 09/2011

To check on the license status of the real estate brokerage company or affiliated licensee go to [www.maine.gov/professionallicensing](http://www.maine.gov/professionallicensing).  
Inactive licensees may not practice real estate brokerage.